Volume 199 1991

Table of contents

No. 1 1–252 issued on July 1, 1991
No. 2 253–488 issued on July 15, 1991
No. 3 489–776 issued on August 1, 1991

Corrections 769

Information for Authors 771–776

Review

Structural heterogeneity of membrane receptors and GTP-binding proteins and its functional consequences for signal transduction
F. Boege, E. Neumann and E. J. M. Helmreich 1– 15

Computer analysis of DNA and protein sequences
G. von Heijne 253–256

Molecular aspects of plastid envelope biochemistry
J. Joyard, M. A. Block and R. Douce 489–509

Nucleic acids, protein synthesis and molecular genetics

Differential degradation of a recombinant albumin-binding receptor in *Escherichia coli*
M. Murby, P.-Å. Nygren, H. Rondahl, U. Hellman, S.-O. Enfors and M. Uhlén 41– 46

Properties of recombinant NADP–malate dehydrogenases from *Sorghum vulgare* leaves expressed in *Escherichia coli* cells
J.-P. Jacquot, E. Keryer, E. Issakidis, P. Decottignies, M. Miginiac-Maslow, J.-M. Schmitter and C. Crétin 47– 51

Evidence for a direct interaction of Rev protein with nuclear envelope mRNA–translocation system
K. Pfeifer, B. E. Weiler, D. Ugarkovic, M. Bachmann, H. C. Schröder and W. E. G. Müller 53– 64

Core I protein of bovine ubiquinol cytochrome *c* reductase; an additional member of the mitochondrial-protein processing family – Cloning of bovine core I and core II cDNAs and primary structure of the proteins
S. Gencic, H. Schägger and G. von Jagow 123–131

A family of bombinin-related peptides from the skin of *Bombina variegata*
M. Simmaco, D. Barra, F. Chiarini, L. Noviello, P. Melchiorri, G. Kreil and K. Richter 217–222

Effect of a high-protein diet on the gene expression of a trypsin-sensitive, cholecystokinin-releasing peptide (monitor peptide) in the pancreas
S. Tsuzuki, T. Fushiki, A. Kondo, H. Murayama and E. Sugimoto 245–252

Cell-cycle-regulated expression of thymosin β_4 in thymocytes
B. Schöbitz, R. Netzker, E. Hannappel and K. Brand 257–262

Autoprocessing of the HIV-1 protease using purified wild-type and mutated fusion proteins expressed at high levels in *Escherichia coli*
J. M. Louis, R. A. McDonald, N. T. Nashed, E. M. Wondrak, D. M. Jerina, S. Oroszlan and P. T. Mora 361–369

Prepeptide sequence of cinnamycin (Ro 09-0198): the first structural gene of a duramycin-type lantibiotic
C. Kaletta, K.-D. Entian and G. Jung 411–415

Molecular analysis of a human interferon-inducible gene family
A. R. Lewin, L. E. Reid, M. McMahon, G. R. Stark and I. M. Kerr 417–423

Molecular cloning of the human $\alpha 6$ integrin subunit – Alternative splicing of $\alpha 6$ mRNA and chromosomal localization of the $\alpha 6$ and $\beta 4$ genes
F. Hogervorst, I. Kuikman, A. G. Van Kessel and A. Sonnenberg 425–433

Expression and post-translational processing of preprocecropin A using a baculovirus vector
M. Hellers, H. Gunne and H. Steiner 435–439

Glucose repression in *Saccharomyces cerevisiae* is directly associated with hexose phosphorylation by hexokinases PI and PII
M. Rose, W. Albig and K.-D. Entian 511–518

Purification of tobacco nuclear proteins binding to a CACGTG motif of the chalcone synthase promoter by DNA affinity chromatography
D. Staiger, F. Becker, J. Schell, C. Koncz and K. Palme 519–527

Properties of the elongation factor 1α in the thermoacidophilic archaebacterium *Sulfolobus solfataricus*
M. Masullo, G. Raimo, A. Parente, A. Gambacorta, M. De Rosa and V. Bocchini 529–537

Protein chemistry and structure

Assembly of the surfactant protein SP-A – Deletions in the globular domain interfere with the correct folding of the molecule
T. Spissinger, K. P. Schäfer and T. Voss 65– 71

Direct electrochemistry of the enzyme, methylamine dehydrogenase, from bacterium W3A1
A. L. Burrows, H. A. O. Hill, T. A. Leese, W. S. Mcintire, H. Nakayama and G. S. Sanghera 73– 78

Ligand binding at membrane mimetic interfaces — Human serum albumin in reverse micelles
B. Desfosses, N. Cittanova, W. Urbach and M. Waks 79–87

Purification and properties of an iron-sulfur-containing and pyridoxal-phosphate-independent L-serine dehydratase from *Peptostreptococcus asaccharolyticus*
R. Grabowski and W. Buckel 89–94

Structural, spectroscopic and catalytic activity studies on glutathione reductase reconstituted with FAD analogues
U. Ermler, S. Ghisla, V. Massey and G. E. Schulz 133–138

Petunia peroxidase a: isolation, purification and characteristics
T. Hendriks, H. J. W. Wijsman and L. C. van Loon 139–146

Analysis and nucleotide sequence of the genes encoding the surface-layer glycoproteins of the hyperthermophilic methanogens *Methanothermus fervidus* and *Methanothermus sociabilis*
G. Bröckl, M. Behr, S. Fabry, R. Hensel, H. Kaudewitz, E. Biendl and H. König 147–152

Production and identification of natural monocyte chemotactic protein from virally infected murine fibroblasts — Relationship with the product of the mouse competence (JE) gene
J. Van Damme, B. Decock, R. Bertini, R. Conings, J.-P. Lenaerts, W. Put, G. Opdenakker and A. Mantovani 223–229

Probing the catalytic sites of triosephosphate isomerase by ^{31}P-NMR with reversibly and irreversibly binding substrate analogues
K. D. Schnackerz and R. W. Gracy 231–238

Transient kinetics of flavin-photosensitized oxidation of reduced redox proteins — Comparison of *c*-type cytochromes and plastocyanins
J. A. Navarro, M. A. De la Rosa and G. Tollin 239–243

Activation and solubilization of the retinal cGMP-specific phosphodiesterase by limited proteolysis — Role of the C-terminal domain of the β-subunit
P. Catty and P. Deterre 263–269

Three-dimensional structure of fatty-acid-binding protein from bovine heart
A. Müller-Fahrnow, U. Egner, T. A. Jones, H. Rüdel, F. Spener and W. Saenger 271–276

Modification of gelsolin with 4-fluoro-7-nitrobenz-2-oxa-1,3-diazole
Y. Doi, T. Hashimoto, H. Yamaguchi and A. Vertut-Doï 277–283

Two-dimensional proton-NMR studies on a hybrid peptide between cecropin A and melittin — Resonance assignments and secondary structure
D. Sipos, K. Chandrasekhar, K. Arvidsson, Å. Engström and A. Ehrenberg 285–291

Primary structure and conformational analysis of peptide methionine—tyrosine, a peptide related to neuropeptide Y and peptide YY isolated from lamprey intestine
J. M. Conlon, B. Bjørnholm, F. S. Jørgensen, J. H. Youson and T. W. Schwartz 293–298

Effect of the cobalt-N coordination on the cobamide recognition by the human vitamin B_{12} binding proteins intrinsic factor, transcobalamin and haptocorrin
E. Stupperich and E. Nexø 299–303

Isolation of chick tenascin variants and fragments — A C-terminal heparin-binding fragment produced by cleavage of the extra domain from the largest subunit splicing variant
M. Chiquet, N. Vručinić-Filipi, S. Schenk, K. Beck and R. Chiquet-Ehrismann 379–388

Identification of the disulphide bonds in human platelet glycocalicin
D. Hess, J. Schaller, E. E. Rickli and K. J. Clemetson 389–393

Conserved amino acid sequences among plant proteins sorted to protein bodies and plant vacuoles — Can they play a role in protein sorting?
F. L. Sebastiani, L. B. Farrell, M. Vasquez and R. N. Beachy 441–450

Action of trypsin on glycinin — Mixed-type proteolysis and its kinetics; molecular mass of glycinin-T
A. D. Shutov, J. Pineda, V. I. Senyuk, V. A. Reva, I. A. Vaintraub 539–543

Correlations between the conformations elucidated by CD spectroscopy and the antigenic properties of four peptides of the foot-and-mouth disease virus
G. Siligardi, A. F. Drake, P. Mascagni, D. Rowlands, F. Brown and W. A. Gibbons 545–551

Characterisation of the electron self-exchange rates in hexametaphosphate-cytochrome-*c* aggregates measured using high-resolution ^{1}H-NMR spectroscopy
D. W. Concar, D. Whitford and R. J. P. Williams 553–560

The promotion of self-association of horse-heart cytochrome *c* by hexametaphosphate anions
D. Whitford, D. W. Concar and R. J. P. Williams 561–568

The location of the polyphosphate-binding sites on cytochrome *c* measured by NMR paramagnetic difference spectroscopy
D. W. Concar, D. Whitford and R. J. P. Williams 569–574

Differential interactions of estrogens and antiestrogens at the 17β-hydroxy or counterpart function with the estrogen receptor
J.-L. Borgna and J. Scali 575–585

Primary structure of porin from *Rhodobacter capsulatus*
E. Schiltz, A. Kreusch, U. Nestel and G. E. Schulz 587–594

Assignment of the five disulfide bridges in an α-amylase inhibitor from wheat kernel by fast-

atom-bombardment mass spectrometry and Edman degradation
E. Poerio, C. Caporale, L. Carrano, P. Pucci and V. Buonocore 595–600

Enzymology

Purification and characterization of aryl acylamidase from *Nocardia globerula*
H. Yoshioka, T. Nagasawa and H. Yamada 17–24

Product inhibition of α-chymotrypsin in reverse micelles
R. Bru and P. Walde 95–103

The unusual action of (*R,S*)-2-hydroxy-2-trifluoromethyl-*trans*-*n*-octadec-4-enoic acid on 5-lipoxygenase from potato tubers
I. A. Butovich, V. A. Soloshonok and V. P. Kukhar 153–155

The interaction of paramagnetic ions chelated to ATP with pyridoxal analogues — Fluorescence studies of pyridoxal kinase
F. Kwok and J. E. Churchich 157–162

ATP-citrate lyase from rat liver — Characterization of the citryl-enzyme complexes
T. N. C. Wells 163–168

Evidence for glycosylphosphatidylinositol anchoring of intralumenal alkaline phosphatase of the calf intestine
E. Hoffmann-Blume, M. B. Garcia Marenco, H. Ehle, R. Bublitz, M. Schulze and A. Horn 305–312

Recombinant human tyrosine hydroxylase isozymes — Reconstitution with iron and inhibitory effect of other metal ions
J. Haavik, B. Le Bourdelles, A. Martinez, T. Flatmark and J. Mallet 371–378

S-Adenosylmethionine decarboxylase from the thermophilic archaebacterium *Sulfolobus solfataricus* — Purification, molecular properties and studies on the covalently bound pyruvate
G. Cacciapuoti, M. Porcelli, M. De Rosa, A. Gambacorta, C. Bertoldo and V. Zappia 395–400

Two-dimensional ^{1}H-NMR studies of phospholipase-A_2-inhibitor complexes bound to a micellar lipid-water interface
N. Dekker, A. R. Peters, A. J. Slotboom, R. Boelens, R. Kaptein, R. Dijkman and G. de Haas 601–607

On the importance of the support material for enzymatic synthesis in organic media — Support effects at controlled water activity
P. Adlercreutz 609–614

Isoforms of human cytochrome-*c* oxidase — Subunit composition and steady-state kinetic properties
A. B. P. Van Kuilenburg, H. L. Dekker, C. Van Den Bogert, P. Nieboer, B. F. Van Gelder and A. O. Muijsers 615–622

The specificity of chymotrypsin — A statistical analysis of hydrolysis data
V. Schellenberger, K. Braune, H.-J. Hofmann and H.-D. Jakubke 623–636

Comparative study of the structure/function relationship of wild-type and structurally modified maltopentaose-producing amylase
A. Candussio, G. Schmid and A. Böck 637–641

Degradation of heme by a soluble peptide of heme oxygenase obtained from rat liver microsomes by mild trypsinization
T. Yoshida, K. Ishikawa and M. Sato 729–733

Regulation of smooth-muscle myosin-light-chain kinase — Steady-state kinetic studies of the reaction mechanism
A. Sobieszek 735–743

Carbohydrates, lipids and other natural products

Heterogeneity of the complex N-linked oligosaccharides at specific glycosylation sites of two secreted carrot glycoproteins
A. Sturm 169–179

Structural features of cell wall teichoic acid and peptidoglycan of *Actinomadura cremea* INA 292
N. V. Potekhina, I. B. Naumova, A. S. Shashkov and L. P. Terekhova 313–316

Hydroperoxides of α-ketols — Novel products of the plant lipoxygenase pathway
A. N. Grechkin, R. A. Kuramshin, S. K. Latypov, Y. Y. Safonova, T. E. Gafarova and A. V. Ilyasov 451–457

Influence of ganglioside GM_3 and its breakdown products on lymphoblastic transformation and T-suppressor activity
E. V. Dyatlovitskaya, A. B. Koroleva, V. S. Suskova, B. V. Rozynov, L. D. Bergelson 643–646

Peptide-N^4-(*N*-acetyl-β-glucosaminyl)-asparagine amidase F cannot release glycans with fucose attached α1 → 3 to the asparagine-linked *N*-acetylglucosamine residue
V. Tretter, F. Altmann and L. März 647–652

Selective ^{13}C-labelling of cyclosporin A
H. Senn, C. Weber, H. Kobel and R. Traber 653–658

GDP-fucose: β-*N*-acetylglucosamine (Fuc to (Fucα1 → 6GlcNAc)-Asn-peptide) α1 → 3-fucosyltransferase activity in honeybee (*Apis mellifica*) venom glands — The difucosylation of asparagine-bound *N*-acetylglucosamine
E. Staudacher, F. Altmann, J. Glössl, L. März, H. Schachter, J. P. Kamerling, K. Hård and J. F. G. Vliegenthart 745–751

Physical and inorganic biochemistry

Purple acid phosphatase from bovine spleen — Interactions at the active site in relation to the reaction mechanism
M. Dietrich, D. Münstermann, H. Suerbaum and H. Witzel 105–113

Uptake of iron by apoferritin from a ferric dihydrolipoate complex
F. Bonomi and S. Pagani 181–186

Acid-base properties of nucleosides and nucleotides as a function of concentration — Comparison of the proton affinity of the nucleic base residues in the monomeric and

self-associated, oligomeric 5'-triphosphates of inosine (ITP), guanosine (GTP), and adenosine (ATP)
N. A. Corfù and H. Sigel 659–669

Membranes and bioenergetics

Synergistic effects of Ca^{2+} and wheat germ agglutinin on the lamellar-hexagonal (H_{II}) phase transition of glycophorin-containing egg-phosphatidylethanolamine membranes
R. Tampé and H.-J. Galla 187–193

Epitope mapping by amino-acid-sequence-specific antibodies reveals that both ends of the α subunit of Na^+/K^+-ATPase are located on the cytoplasmic side of the membrane
R. Antolovic, H.-J. Brüller, S. Bunk, D. Linder and W. Schoner 195–202

The C-terminal positively charged region of subunit 8 of yeast mitochondrial ATP synthase is required for efficient assembly of this subunit into the membrane F_0 sector
D. G. Grasso, D. Nero, R. H. P. Law, R. J. Devenish and P. Nagley 203–209

Membrane-bound cytochromes in *Chloroflexus aurantiacus* studied by EPR
P. van Vliet, D. Zannoni, W. Nitschke and A. W. Rutherford 317–323

Molecular species of cardiolipin in relation to other mitochondrial phospholipids – Is there an acyl specificity of the interaction between cardiolipin and the ADP/ATP carrier?
M. Schlame, K. Beyer, M. Hayer-Hartl and M. Klingenberg 459–466

Localization on the mitochondrial F_1 ATPase α subunit of an epitope masked in the membrane-bound enzyme using a monoclonal antibody and synthetic peptides
M. Moradi-Améli, F. F. Clerc, F. Cieur, G. Seiberras and C. Godinot 671–676

Cytochrome c_2 is essential for electron transfer to nitrous-oxide reductase from physiological substrates in *Rhodobacter capsulatus* and can act as an electron donor to the reductase *in vitro* – Correlation with photoinhibition studies
D. J. Richardson, L. C. Bell, A. G. McEwan, J. B. Jackson and S. J. Ferguson 677–683

Characterization and purification of the fusicoccin-binding complex from plasma membranes of *Commelina communis*
C. Oecking and E. W. Weiler 685–689

Structure/function relationships in mitochondrial cytochrome *b* revealed by the kinetic and circular dichroic properties of two yeast inhibitor-resistant mutants
T. Tron, M. Crimi, A.-M. Colson and M. D. Esposti 753–760

Two different aa_3-type cytochromes can be purified from the bacterium *Bacillus cereus*
J. A. Garcia-Horsman, B. Barquera and J. E. Escamilla 761–768

Metabolism and metabolic regulation

Determination of amino acid sequences involved in the processing of the ARG5/ARG6 precursor in *Saccharomyces cerevisiae*
C. Boonchird, F. Messenguy and E. Dubois 325–335

On the mechanism of transcellular lipoxin formation in human platelets and granulocytes
C. Edenius, L. Stenke and J. Å. Lindgren 401–409

Inhibition of hepatic proteolysis by insulin – Role of hormone-induced alterations of the cellular K^+ balance
C. Hallbrucker, S. vom Dahl, F. Lang, W. Gerok and D. Häussinger 467–474

Evidence that AMP triggers phosphorylation as well as direct allosteric activation of rat liver AMP-activated protein kinase – A sensitive mechanism to protect the cell against ATP depletion
F. Moore, J. Weekes and D. G. Hardie 691–697

Signal transduction and molecular neurobiology

Two-step mobilization of arachidonic acid in platelet activation induced by low concentrations of TP 82, a monoclonal antibody against CD9 antigen
Y. Ozaki, Y. Matsumoto, Y. Yatomi, M. Higashihara and S. Kume 347–354

Ca^{2+}-induced reversible translocation of phospholipase A_2 between the cytosol and the membrane fraction of rat liver macrophages
H. Krause, P. Dieter, A. Schulze-Specking, A. Ballhorn and K. Decker 355–359

Characterization of a cDNA clone encoding molluscan insulin-related peptide II of *Lymnaea stagnalis*
A. B. Smit, W. P. M. Geraerts, I. Meester, H. van Heerikhuizen and J. Joosse 699–703

On the role of polysialoglycosphingolipids as tetanus toxin receptors – A study with lipid monolayers
G. Schiavo, R. Demel and C. Montecucco 705–711

The molecular mechanism by which adrenalin inhibits glycogen synthesis
S. Nakielny, D. G. Campbell and P. Cohen 713–722

Purification and characterisation of the insulin-stimulated protein kinase from rabbit skeletal muscle; close similarity to S6 kinase II
A. Lavoinne, E. Erikson, J. L. Maller, D. J. Price, J. Avruch and P. Cohen 723–728

Molecular cell biology

Cultured human fibroblasts contain a large pool of precursor β_1-integrin but lack an intracellular pool of mature subunit
B. De Strooper, F. Van Leuven, G. Carmeliet, H. Van Den Berghe and J.-J. Cassiman 25–33

Constitutive expression of heat-shock protein 70 in mammalian cells confers thermo-resistance
C. E. Angelidis, I. Lazaridis and G. N. Pagoulatos 35–39

An embryo-specific protein of barley (*Hordeum vulgare*)
A. J. Clark, P. Higgins, H. Martin and D. J. Bowles 115–121

The C-terminal domain of plant catalases – Implications for a glyoxysomal targeting sequence
E. González 211–215

Enhancement of vitronectin expression in human HepG2 hepatoma cells by transforming growth factor-β1
K. Koli, J. Lohi, A. Hautanen and J. Keski-Oja 337–345

Kluyveromyces lactis toxin has an essential chitinase activity
A. R. Butler, R. W. O'Donnell, V. J. Martin, G. W. Gooday and M. J. R. Stark 483–488

Developmental biochemistry and immunology

Effects of dexamethasone and cAMP on tyrosine aminotransferase expression in cultured fetal rat hepatocytes
L. L. Shelly and G. C. T. Yeoh 475–481

Indexed in *Current Contents*